



7401 Van Dusen Rd,  
Laurel, Md, 20707  
(301) 483-7080  
spaynowsurgery@gmail.com

Thank You for trusting us with your pet today! Today your cat was spayed/neutered. For the next 24-36 hours, s/he may do some shaking, drooling, stumbling, or have an "off personality". This will pass once they've finished metabolizing their drugs from the surgery. If you see the shaking, you can take a blanket or towel and warm it in the dryer; snuggling with a warm blanket is comforting.

You should have a room to separate your kitty from the rest of the house for 24 hours while they wear off their drugs; no other cats, dogs, children, or loud noises allowed. Your cat should stay away from stairs, because s/he may fall. Open the carrier door in the room and let your cat come out when s/he is ready. If s/she feels yucky or grouchy, just let him/her hide. Make sure to offer a clean litter box, fresh water, and HALF the amount of food for a typical meal in this "kitty room". Specifically half because the nausea may cause them to vomit a normal serving. You can go back to full servings tomorrow for breakfast.

After 24 hours, your cat can have access to the house. If you have other animals in the house, your cat should be supervised while playing for 14 days; rough housing is not allowed. Check the incision site daily for redness or swelling; if you have a male kitty, there may be some gummy red discharge from his scrotum: this is NORMAL; he may clean it up before you notice it. Cats are usually really good about leaving their incision alone. If you feel like your cat is overly grooming their incision you can purchase an e-collar at your local pet store or our clinic. Please check daily for signs of irritation or infection (redness, yellowish discharge, or swelling). If you see these signs, bring him back for a recheck. We have complimentary rechecks; the only costs associated are nominal fees for medication and additional services.



7401 Van Dusen Rd,  
Laurel, Md, 20707  
(301) 483-7080  
spaynowsurgery@gmail.com

¡Gracias por confiar en nosotros con su mascota hoy! Hoy su gato fue esterilizado. Durante las próximas 24-36 horas, puede tener temblor, babeo, tropezar o tener una "personalidad fuera de lo normal". Esto pasará una vez que hayan terminado de metabolizar sus medicamentos de la cirugía. Si usted ve el temblor, usted puede tomar una manta o una toalla y calentarla en la secadora; Acurrucarse con una cálida cobija es reconfortante. :)

Usted debe tener una habitación para separar su gatito del resto de la casa durante 24 horas mientras se desgastan sus drogas; No se permiten otros gatos, perros, niños o ruidos fuertes. Su gato debe permanecer lejos de las escaleras, porque puede caerse. Abra la puerta del portador en la habitación y deje que el gato salga cuando esté listo. Si se siente malhumorado, solo déjelo ocultar. Asegúrese de proporcionar una caja de arena limpia, agua fresca, y la mitad de la cantidad de alimentos para una comida típica en esta "habitación de gatito". Específicamente la mitad porque las náuseas pueden hacerles vomitar una porción normal. Puedes volver a porciones completas mañana para el desayuno.

Después de 24 horas, el gatito puede acceder a la casa. Si usted tiene otros animales en la casa, el gatito debe ser supervisado mientras juega por 7-10 días; No se permiten juegos fuertes con el gato. Revise diariamente el sitio de la incisión para detectar enrojecimiento o hinchazón; Si usted tiene un gatito masculino, puede haber alguna secreción gomosa roja de su escroto: esto es NORMAL; Puede limpiarlo antes de que lo notes. No enviamos gatitos a casa con collares electrónicos (la cosa de cono para sus cabezas). Los gatitos suelen ser realmente buenos dejando sus incisión sola, pero revise si hay signos de irritación o infección (enrojecimiento, secreción amarillenta o hinchazón). Si usted ve la infección, traiga al gato de nuevo para ser visto. Tenemos rechecks de cortesía; El único costo asociado con los honorarios nominales por medicamentos y servicios adicionales.